

# Trinzik™ HCO Solvent Filters

*Improve chemical cleanliness with high-flow solvent filtration*

Trinzik™ HCO filters are designed for high-flow filtration in semiconductor, data storage/hard disk drive, and flat panel display applications. Compared to conventional filter media, the advanced membrane design provides increased flow rate performance while enabling a high level of particle and contaminant protection.

## APPLICATIONS

- High-throughput chemical delivery and packaging systems
- High viscosity, ultrapure semi- or electronics-grade chemicals
- High-turnover, recirculating filtration systems


## FEATURES & BENEFITS

<b>High-porosity, hydrophobic PTFE membrane</b>	Enables high flow rate performance and reduces operational costs
<b>Small pore size membrane design</b>	Advanced particle removal increases yield
<b>High-density polyethylene (HDPE) filter construction</b>	Lower extractables ensure cleaner filtration operations




## PERFORMANCE DATA


Trinzik HCO 10" Cartridges



Trinzik HCO 20" Cartridges



Trinzik HCO 30" Cartridges




## SPECIFICATIONS

---

<b>Materials of construction</b>	Membrane	Hydrophobic PTFE
	Supports, core, sleeve	High-density polyethylene (HDPE)
	O-ring	Encapsulated FKM (E-FKM), encapsulated silicone (E-SIL)
<b>Retention rating</b>	0.02 µm, 0.05 µm	
<b>Cartridge connections</b>	Code 0 (222 Flat), Code 5 (222 Fin)	
<b>Maximum operating conditions</b>	Maximum forward differential pressure: 3.4 bar (50 psid) @ 20°C (68°F)  Maximum temperature: 60°C (140°F)	
<b>Dimensions</b>	Length	10", 20", 30"
	Diameter	69 mm (2.7")


## DIMENSIONS

Code 0 - 222 Flat




Length	A	B
10"	274.3 mm (10.8")	257.8 mm (10.2")
20"	520.7 mm (20.5")	504.2 mm (19.9")
30"	764.5 mm (30.1")	748 mm (29.5")

Code 5 - 222 Fin




Length	A	B
10"	315 mm (12.4")	298.5 mm (11.8")
20"	561.3 mm (22.1")	544.8 mm (21.5")
30"	805.2 mm (31.7")	788.7 mm (31.1")

Code 6 - 226 Flat



Length	A	B
10"	276.9 mm (10.9")	265.4 mm (10.5")
20"	523.2 mm (20.6")	511.9 mm (20.2")
30"	767.1 mm (30.2")	755.7 mm (29.8")


Code 7 - 226 Fin



Length	A	B
10"	316.5 mm (12.5")	306.1 mm (12.1")
20"	562.9 mm (22.2")	552.5 mm (21.8")
30"	806.7 mm (31.8")	796.3 mm (31.4")

## ORDERING INFORMATION

Trinzik HCO Solvent Filters: part number



## FOR MORE INFORMATION

Please call your Regional Customer Service Center today to learn what Entegris can do for you. Visit [entegris.com](http://entegris.com) and select the [Contact Us](#) link to find the customer service center nearest you.

## TERMS AND CONDITIONS OF SALE

All purchases are subject to Entegris' Terms and Conditions of Sale. To view and print this information, visit [entegris.com](http://entegris.com) and select the [Terms & Conditions](#) link in the footer.



### Corporate Headquarters

129 Concord Road  
Billerica, MA 01821  
USA

### Customer Service

Tel +1 952 556 4181  
Fax +1 952 556 8022  
Toll Free 800 394 4083

Entegris®, the Entegris Rings Design®, and other product names are trademarks of Entegris, Inc. as listed on [entegris.com/trademarks](http://entegris.com/trademarks). All third-party product names, logos, and company names are trademarks or registered trademarks of their respective owners. Use of them does not imply any affiliation, sponsorship, or endorsement by the trademark owner.

©2017-2018 Entegris, Inc. | All rights reserved. | Printed in the USA | 4448-8336ENT-1218